

## Environmental Declaration Type II (Products)

### 1 General Information

<b>Product identification</b>	Document number: 715UD0101-INTGB-0121	Date: 01.01.2021
Product designation: Intec® Standard injection hose	Article number: IVINTECN	Business division: Sealing technologies

### 2 Information on the supplier

Company name: <b>Max Frank GmbH &amp; Co. KG</b>		
Address: Mitterweg 1 94339 Leiblfing	Personal contact: PM Sealing technologies	
	Telephone number: +49 9427/189 189	
Website: www.maxfrank.com	Email address: technik@maxfrank.de	
<b>Does the company have management systems?</b>		
The company is certified according to	<input checked="" type="checkbox"/> ISO 9001	

### 3 Product information

Country/postcode/location of final manufacture	D-94339 Leiblfing		
Is a safety data sheet available for this product?	<input type="checkbox"/> not applicable	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No

### 4 Ingredients

**Upon being supplied, the product consists of the following relevant components, in the context of which the following chemical composition was determined**

Materials / physical components	Constituent parts	Mass percentage in % or g	EG number/ CAS number	Classification	Comments
PVC hose, black	PVC	105- 120g/m 46- 52%	9002-86-2	--	free of lead and cadmium
PVC hose, black	Plasizicers	20- 26%	--	--	no declaration as per CLP EC Nr. 1272/2008
PVC hose, black	filler	20- 26%	1317-65-3	--	no declaration as per CLP EC Nr. 1272/2008

#### 4.1 SVHC list (Candidate List of Substances of Very High Concern for authorisation)

Does the product contain substances of very high concern >0.1% pursuant to the candidate list?	<input type="checkbox"/> yes	<input checked="" type="checkbox"/> no
--	------------------------------	--

#### 5 Production phase

<b>Utilised recycling materials which were processed during the manufacturing of the product or its components:</b>		<input checked="" type="checkbox"/> not applicable
Material	Quantity and quantity unit	Comments
PVC hose	> 98%	
Types of packaging	Proportion	Comments
<b>Do emissions occur during the production phase?</b>		<input checked="" type="checkbox"/> not applicable
Type of emissions	Quantity and quantity unit	Comments
<b>Residual products which occurred during the manufacturing of the product or its components:</b>		<input checked="" type="checkbox"/> not applicable
Type of residual products	Quantity and quantity unit	Comments

#### 6 Construction phase

<b>Are their specialist requirements for the storage of the product?</b>	<input type="checkbox"/> not applicable	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	If yes, then which? refer to Technical data sheet: minimum 48 months from manufacturing date, when stored in undamaged, unopened, original, sealed packaging, in cool and dry conditions at temperatures of +1°C to 40°C
<b>Does the product cause environmental risks, e.g., in the case of fire or flooding?</b>	<input type="checkbox"/> not applicable	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	If yes, then which? fire causes smolderings, smoke, hydrochlorid acid, risks in case of inhalation, danger of suffocation.

#### 7 Use phase

<b>Does the product have specialist requirements in terms of operation and maintenance?</b>	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	If yes, then which? refer to application guidelines: <ul style="list-style-type: none"> <li>Any tools and equipment used in connection with PUR and EP resins can be cleaned with Intectin special cleaner.</li> <li>Tools and equipment used with Intectin acrylic</li> </ul>
---	------------------------------	--	--

			resin can be cleaned with water prior to the hardening of the resin In General: is not resistant to organic solvents of the ketone, ester, chlorinated hydrocarbon and aromatic hydrocarbon type
Does the product result in specialist requirements regarding the supply of energy for the company?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	If yes, then which?
<b>How long is the estimated technical lifespan for the product?</b>			
a) estimated average reference lifespan	<input type="checkbox"/> 5 years	<input type="checkbox"/> 10 years	<input type="checkbox"/> 15 years
	<input type="checkbox"/> 25 years	<input checked="" type="checkbox"/> > 50 years	Comments:

### 8 Dismantling

Does the product require particular measures for the protection of health and the environment during its dismantling / disassembly?	<input type="checkbox"/> not applicable	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	If yes, then which?
---	---	------------------------------	--	---------------------

### 9 Waste management

Is it possible for the entire product or parts of it to be reused?	<input type="checkbox"/> not applicable	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	If yes, then which?
Is it possible for the entire product or parts of it to be recycled?	<input type="checkbox"/> not applicable	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	If yes, then which?
Can parts of the product be reused or recycled and/or how can they be disposed of?	<input type="checkbox"/> applicable	<input checked="" type="checkbox"/> not applicable		
Material	Comments			
Please state the waste key for the supplied product.			17 02 03	
Is the supplied product classified as hazardous waste?			<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No

### 10 Room climate

With the correct use of the product, it develops the following emissions:		<input checked="" type="checkbox"/> The product does not develop any emissions		
Type of emission	Volume in [ $\mu\text{g}/\text{m}^2\text{h}$ ] or [ $\text{mg}/\text{m}^3\text{h}$ ]		Measuring method	Comments
	4 weeks	26 weeks		

## **11 Information on the specific environmental benefits**

This self-declaration serves the purpose of information only.

It does not represent any guarantee for the quality of the product or that the product will maintain a certain quality for a specific duration.

As far as legally admissible, Max Frank GmbH & Co. KG excludes all liability for anything that may come to occur based on the information above.